

2007 | BOBST SPANTHERA 106 LER

+ MÁQUINAS DE EMBALAJE ◊ AÑO: 2007 ◊ TROQUELADORAS PLANAS



Descripción de la impresora

EQUIPO

- Sección de extracción
- Ajuste micrométrico
- Ajuste micrométrico central
- C.U.B.E. Bobst- sistema operativo de la máquina
- El registro de la mano izquierda registrar las posiciones
- Troqueladora automática con stripper y Blanking
- Guía de tiro (OS) con detector de doble hoja
- Unidad de despojo con 2x persecuciones superiores y 2x persecuciones inferiores
- 1 x chasis de stripping superior con algún accesorio
- 1 x Lower stripping frame with some accessories
- CUBE (unidad central electrónica bobst)
- Sistema de cierre rápido integrado que garantiza cambios de trabajo rápidos y sencillos
- Automatic equipment centering, locking for chase and supporting plate, ensuring perfect quality achievement of cutting and creasing



DETALLES TÉCNICOS

- Carton board : up to 1000 g/m²
- Corrugated board : up to 4 mm
- Sheet size (max in mm): 760 x 1,060 mm
- Sheet size (minimum in mm): 350 x 400 mm
- Speed : 9.000 s/h
- Presión máxima: 2.6 MN

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

✉ info@machinex.com



- A Camera registers latterly on sheet edges or on print
- °BSSR Integrated Quick locking system
- Automatic equipment centering and locking for chase and supporting plate

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

