## 2014 | HEIDELBERG MK PROMATRIX 106 CS



Descrizione della stampante

## **ATTREZZATURE**

- · Complete with manuals and tools
- · Electronic sheet monitoring
- · Cutting plate fine adjustment
- · Non-Stop function at feeder and delivery
- Integrated fine adjustment system for thin cutting plates
- Suction head for paper, board and corrugated board
- Motorized suction head adjustment(vertical and horizontal)
- Pile platform with motorized side pile adjustment
- Mechanical double-sheet detection
- · Pull/Push side lay on both sides
- Central adjustment system for rollers and brushes
- · MasterSet optical sheet alignment system
- · Non-Stop rolling carpet
- Pneumatic flap for test sheet removal
- Sheet size adjustment with position indicators
- Sheet brake brush with motorized brake force adjustment
- Processes materials as thin as 90 g/m<sup>2</sup>.

(\*

## **DETTAGLI TECNICI**

• Orari di lavoro: 11130

• Formato massimo: 760 ×1.060 mm

• Formati minimo: 350 × 400 mm

• Speed: 8.000 sp/h

• Pressione massima: 2,6 MN / 260 t

Spessore minimo della carta: 90 g/m²

• Spessore del cartone: 2 000 g/m²

• Corrugated board: 4,0 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

