

1989 | BOBST SP 142 E AUTOPLATINE



USED PACKAGING MACHINES



שנה: 1989



USED DIE CUTTER (FLATBED)



תיאור המדפסת

ציוד

- Centerline micrometric adjustment
- Elevated machine
- Non Stop delivery
- Push lay opposite operator side
- Motorized suction head feeder unit



טכני פרטים

- Carton board : 2000 grm.
- Sheet size (max in mm): 1020 x 1420
- Sheet size (minimum in mm): 500 x 700
- Max Pressure : 600 tons
- Speed : 6.500 sph
- Working Hours : 112.000

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



2001 | BOBST ALPINA 130 (A3)

+ USED PACKAGING MACHINES 2001: שנה: FOLDER-GLUERS



תיאור המדפסת

Solid board up to 800 g/m2 - Corrugated N, F, E, B Flute Coldfoil system with Tank and 5 Guns

ציוד

- Digital readout unit
- 4 + 6 point glue system
- Lower disc gluing left
- Automatic crash lock bottom
- straight line lock bottom
- vibrator and vacuum, aligning station after the feeder right and left
- Automatic carton folder gluer
- HHS Gluing system with 5 Guns



טכני פרטים

- Working Hours : 65.380 h.
- Maximum Format: 1300 mm
- Minimum Format : 126 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



1981 | BOBST SP 142 ER

+ USED PACKAGING MACHINES 1981 : שנה USED DIE CUTTER (FLATBED)



תיאור המדפסת

Complete Overhauled in Year 2000 Blanking section Double stripping station Stack height at feeder 2.200mm Stack height at the delivery 1.650mm Non-Stop manual Motorized suction head unit Pile feeder with automatic lateral moving Pushing lay for corrugated Universal lower tool for blanket Automatic Universal feeder with big tanks Automatic shift for the platform Motorized head feeder Non-stop on feeder with swords Pull lay operator side Receiving pull lay of the push lay operator side 1 central stripping quick lock Non-stop delivery with belt convey Safety sensors in delivery All machine books, manuals and standard accessories

ציוד

- All books, Manuals and Tools
- Stripping Unit
- Push lay opposite operator side



טכני פרטים

- Max. format : 1020 x 1420 mm
- Min. format :: 500 x 700 mm
- Max Pressure : 600 tons
- Speed : 6.000 sp/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com



2020 | BOBST AMBITION 76 A1

+ USED PACKAGING MACHINES 2020 : שנה FOLDER-GLUERS



תיאור המדפסת

CUBE adjusting system Carton board: max 800 g/m2 Corrugated flute type: N, E, F Speed: 20 to 300 m/min Inching speed: 20 m/min Box sizes: Straight line "C": 126 to 760 mm Straight line "E": 60 to 800 mm Straight line "L": 60 to 385 Crash-lock bottom "C" (2): 146 to 760 mm Crash-lock bottom "L": 70 to 385 mm FEEDER Total length: 610 mm 6 Feed conveyors with 30 mm wide belt with 4 built-in mechanical vibrators 1 Thickness gauge with lateral and lengthwise setting and upper introduction rollers 1 Additional thickness gauge with lateral and lengthwise setting and upper introduction rollers 2 Side guides in two parts Asymmetrical and adjustable in length Max. pile height: 350 mm. 1 set of rear guides for blank support 1 Motor controlled by frequency variator to drive the feed belts and to put in or out of operation PREBREAKER SECTION total length: 2300 mm. 1 lower left conveyor with 43 mm wide belt 1 Lower right conveyor with 25 mm wide belt 1 Set of upper conveyors with 25 mm wide belts and lifting device 1 Left-hand prebreaker without belt with built-in pressing device Adjustable through eccentric Max. width of the glue flap: 30 mm 1 Reopening guide 1 Right-hand prebreaker with 30 mm belt width Including a system to set the prebreaking angle 1 Lower central supporting guide GLUING UNIT 1 Lower left-hand gluing unit with wheel and double scraper 1 HHS gluing system with 2 nozzles, upgradeable up to 4 1 Removable glue basin 1 Upper guide with pressure roller 1 Refill bottle Additional options installed (with factory no.): A-012 Delivery, extended version B-012 Device for crash-lock bottom boxes without prebreaking of 3rd crease B-060 Device for sleeves and envelopes EA-015 Electric pile vibrator For the rear pile guides. Improves the feeding of blanks which are sticking to each other EA-025 Blank suction device EA-030 Rotary brushes F-020 Long upper right conveyor outlet G-001 Minimum folding device G-015 Central conveyors J-001 Infeed device left and right Infeed device with 30 mm belt width J-010 Upper pressure belt J-014 Additional upper pressing belt DX-027 Glue

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



טכני פרטים

- Carton board : 800 g/m2
- Sheet size (max in mm): 760 mm
- Sheet size (minimum in mm): 126 mm

+34 682 639 187


info@machinex.com

 MACHINEX

(maximum machine speed 300 m/min) K-012 Flipper ejector KX-012 Code reader "Stand-Alone" Xtend series Baumerhhs (maximum machine speed 700 m/min)

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2018 | BOBST NOVACUT 106 E

+ USED PACKAGING MACHINES 2018 : שנה USED DIE CUTTER (FLATBED)



תיאור המדפסת

Normally, as die-cutter versatility increases, so productivity drops off, but NOVACUT 106 E gives you access to world-leading technology that delivers both, without compromise.

ציוד

- Centerline micrometric adjustment
- C.U.B.E. Bobst-Electronic machine operating system
- Operator interface with Color Touch Screen
- Sidelay Opposite Operators Side
- Pull or push sheet registration system, allowing precise sheet register
- Feed table plate reduces static and delivers smoother sheet travel
- Integrated quick-lock system ensuring fast and easy job changeovers
- Automatic equipment centering, locking for chase and supporting plate, ensuring perfect quality achievement of cutting and creasing
- Feed table covered with anti-static stainless-steel plate



טכני פרטים

- Sheet size (max in mm): 740 x 1060 mm
- Sheet size (minimum in mm): 350 x 400 mm
- Speed : 8000 s/h
- Carton board : up to max 2000 g/m²
- Corrugated board: up to max 4 mm
- Embossing Size Max: 710 x 1060 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2007 | BOBST SPERIA 106

+ USED PACKAGING MACHINES 2007 : שנה USED DIE CUTTER (FLATBED)



תיאור המדפסת

ציוד

- Stripping section
- C.U.B.E. Bobst-Electronic machine operating system
- Quick lock stripping frame
- Non Stop delivery
- Centerline system for quick job changes
- One lower stripping frame with accessories
- 1 x upper stripping frame with accessorie
- Complete with upper & lower stripping units
- Feed table covered with anti-static stainless-steel plate



טכני פרטים

- Min. format :: 350 x 400 mm
- Print output : 7.700 speed/h
- Max. format : 740 x 1060 mm
- Processed materials : Paper 80/90 g/m2
- Corrugated board: up to 4 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2007 | BOBST SP 102 E EVOLINE

+ USED PACKAGING MACHINES 2007 : שנה USED DIE CUTTER (FLATBED)



תיאור המדפסת

ציוד

- Centerline micrometric adjustment
- Quick lock stripping frame
- CUBE (central unit bobst electronics)
- Pull lay operator side
- Push lay opposite operator side
- Special feeder with adjustable suckers
- Board quality processable : paper (min. 80g/m²); cardboard (250/2000 g/m²); corrugated (3 - 4 mm)
- Adjustable gripper grip from: 9 - 17 mm
- Cutting force 250 Tons
- 7.500 speed/h (depending on cardboard and type of job feature)



טכני פרטים

- Working Hours : 51.000
- Carton board : up to 2000 g/m²
- Corrugated board: up to 4 mm
- Sheet size (max in mm): 720 x 1020 mm
- Sheet size (minimum in mm): 350 x 400 mm
- Speed : 7.500 sp/h
- Power consumption: 30 Kw

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2000 | BOBST SP 104 E

+ USED PACKAGING MACHINES 2000 : שנה USED DIE CUTTER (FLATBED)



תיאור המדפסת

ציוד

- Automatic die cutting machine
- Micro metric adjustment
- Centerline micrometric adjustment
- Cube Control Panel
- Left hand side register pull lays
- Quick Lock Top Stripping Frame
- Frontlays with register control
- Double action stripping
- 1 mm cutting plate
- Non Stop delivery



טכני פרטים

- Speed : 8.000 sph.
- Maximum Format: 720 x 1040 mm
- Min. format :: 350 x 400 mm
- Processed materials : 80 to 90 g/m
- Carton board : up to 2000 g/m
- Corrugated board: up to 4 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

