

2004 | KOMORI LITHRONE LS 540 + C(X)



USED PRINTING MACHINES



YEAR: 2004



5 COLOR + COATER



PRICE: 351000 FCA



Printer description

EQUIPMENT

- Komorimatic dampening system
- Automatic impression cylinder washing device
- APC fully automatic plate change
- PQC (print quality control console)
- Grafix Digital powder spray
- IVT infra red dryer
- Automatic Ink Roller Cleaner (AIRC)
- Automatic blanket Washers (ABW)
- Skeleton transfers
- Elevated Machine
- Komori Extended delivery



TECHNICAL DETAILS

- Sheet Counter : 118 Million
- Max. format : 720 x 1030 mm
- Min. format :: 360 x 520 mm
- Print output : 15.000 /h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



MACHINEX

2005 | KBA RAPIDA RA 105 5 L (U) CX



USED PRINTING MACHINES



YEAR: 2005



5 COLOR + COATER



Printer description

EQUIPMENT

- All Wash Up Devices
- Combination dryer hot air / IR
- Electromechanic double-sheet control
- Grafix Multicontrol
- VARIDAMP alcohol dampening
- CX equipment (additional equipment for cardboard until 1.2 mm)
- KBA Grafix Rapid Dry
- Ultrasonic double sheet control
- PWHA semi automatic plate change
- Non Stop feeder
- ALV 2 (extended delivery)
- Harris & Bruno coating unit
- Weko AP 232 powder spray
- ColorTronic ink fountain with 35 ink keys each 30 mm wide



TECHNICAL DETAILS

- Sheet Counter : 110 Million
- Sheet size (max in mm): 720 x 1050 mm
- Sheet size (minimum in mm) : 360 x 520 mm
- Print output : 15.000 s.p.h.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



2006 | HEIDELBERG CD 102 6 LX



USED PRINTING MACHINES



YEAR: 2006



6 COLOR + COATER



Printer description

EQUIPMENT

- Drystar 3000 combination dryer
- Autoplate (Semi automatic plate change)
- Auto impression cylinder wash
- Auto ink roller wash
- Extended delivery LX2
- Preset Plus in feeder
- Preset Plus in delivery
- TECHNOTRANS
- Automatic blanket washing device
- Alcolor Vario dampening
- CP 2000 console touch screen
- CleanStar Preset
- Non Stop in the feeder
- NS (Non Stop in the delivery)
- CombiStar pro inking unit temperature control, water cooled, with AlcoSmart



TECHNICAL DETAILS

- Sheet Counter : 258 mio.
- Max. format : 720 x 1020 mm
- Min. format :: 280 x 420 mm
- Print output : 15.000 s.p.h.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



2009 | STAHL KH 82-4 KTL



USED BINDERY MACHINES



YEAR: 2009



USED FOLDING MACHINES



Printer description

PFH-82 Pallet feeder Airstream table 4 automatic combination buckle plates KTL cross-fold module with 2 servodrive knife MCT control - Touchscreen TSH-70 stacker delivery (2009)compressor



TECHNICAL DETAILS

- Sheet size (max in mm): 820 x 1200 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



MACHINEX

2012 | MUELLER-MARTINI PRIMERA C-130

 USED BINDERY MACHINES  YEAR: 2012  USED SADDLE STITCHER



Printer description

Müller Martini Primera C130 saddle stitcher, equipped with: 4 feeders type 3791 cover folder feeder type 1529 stitcher type C130 Trimmer type 0449 stacker 0450 Becker Air cabinet with technical documentation and standard accessories Dismantled In stock



TECHNICAL DETAILS

- Cycles/h: 14.000 copies/h.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



1981 | BOBST SP 142 ER



USED PACKAGING MACHINES



YEAR: 1981



USED DIE CUTTER (FLATBED)



Printer description

Complete Overhauled in Year 2000 Blanking section Double stripping station Stack height at feeder 2.200mm Stack height at the delivery 1.650mm Non-Stop manual Motorized suction head unit Pile feeder with automatic lateral moving Pushing lay for corrugated Universal lower tool for blanket Automatic Universal feeder with big tanks Automatic shift for the platform Motorized head feeder Non-stop on feeder with swords Pull lay operator side Receiving pull lay of the push lay operator side 1 central stripping quick lock Non-stop delivery with belt convey Safety sensors in delivery All machine books, manuals and standard accessories

EQUIPMENT

- All books, Manuals and Tools
- Stripping Unit
- Push lay opposite operator side



TECHNICAL DETAILS

- Max. format : 1020 x 1420 mm
- Min. format :: 500 x 700 mm
- Max Pressure : 600 tons
- Speed : 6.000 sp/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



MACHINEX

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

