

# 2008 | KBA RAPIDA RA 105 8 SW 4

+ USED PRINTING MACHINES    ROK: 2008    8 KOLOROWE



## Opis drukarki

# EKWIPUNEK

- double sheet control - electronic
- Electromechanic double-sheet control
- Intercommunication system between infeed and delivery
- Model P-40 (18.000 prędkości na godzinę)
- Baldwin blanket, roller, and impression cylinder wash-up device
- Technotrans Beta C High Tech Combi cooling device
- Kersten antistatic high performance version
- Pile entry in sheet travel direction
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- PowderStar AP 262 powder sprayer
- SIS – Sensoric Infeed System, sidelay-free lateral sheet alignment with automatic format setting via ErgoTronic console, lateral alignment occurs by means of movable infeed gripper bar



# SZCZEGÓŁY TECHNICZNE

- Sheet Counter : 295 Million
- Print output : 18.000 s.p.h.
- Stock Thickness :: 60 g/m2 up to 600 g/m2
- Max. format : 740 x 1,050 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 MACHINEX

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)

