

2012 | KBA RAPIDA RA 162 A 6 + L CX



DRUCKMASCHINEN (OFFSET)



JAHR: 2012



6 FARBEN + LACK



Druckerbeschreibung

Ideal for: • Folding carton production • Large-format packaging
• Commercial print applications requiring high quality Suitable for: • Corrugated board (microflute, E, F, N) • Solid board & folding carton • Large-format packaging and display print • Commercial print jobs requiring large format and durability

AUSRÜSTUNG

- Crane for anilox roller changing
- Extended delivery 2600 mm
- VARIDAMP alcohol dampening
- Automatic Nonstop system for pile logistic in feeder and delivery
- CX-Ausstattung (Zusatzausstattung für Karton bis 1,2 mm)
- Densitronic S Profi-Messtisch
- Intercommunication system between infeed and delivery
- Kba Vari Dry - dryer
- KBA Grafix Rapid Dry
- Ultrasonic double sheet control
- Thin-Paper device



TECHNISCHE DETAILS

- Laufleistung : 185 mio
- Maximale Geschwindigkeit Bg./h : 13.000 s.p.h
- Max. Bogenformat : 1200 x 1620 mm
- Min. Bogenformat :: 600 x 920 mm
- Stärke :: 0,04 up to 1.2 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



- circulation with Ipasonic
- Chromed cylinders
- Infrarot + Heißlufttrockner
- Kersten antistatic high performance version
- Automatic feeder height adjustment
- Kersten Ionblowers in feeder and delivery
- Blower ionization on feeder
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Lackierwerk mit Kammerrakel und Anilox
- Additional anilox roller (according to KBA standard)
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- Automatic non-stop feeder
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- 2 St. elektromechanische Doppelbogenkontrolle (für Mikrowelle / Stark Karton)
- Pneumatische Seitenführung mit optischer Seitenführung Kontrolle, automatische Formateinstellung über ErgoTronic Konsole
- Raise 630 mm complete (feeder ,delivery and gallery)
- Bogendurchlaufkontrolle pro ÜT für Karton (>450g/m²) (CX)
- Zusatzpaket Mikro-Wellpappe und Schwerpappe "Standard"

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

