

2012 | KBA RAPIDA RA 162 A 6 + L CX

 STAMPA OFFSET  ANNO: 2012  6 COLOR + COATER



Descrizione della stampante

Ideal for: • Folding carton production • Large-format packaging
• Commercial print applications requiring high quality Suitable for: • Corrugated board (microflute, E, F, N) • Solid board & folding carton • Large-format packaging and display print • Commercial print jobs requiring large format and durability

ATTREZZATURE

- Crane for anilox roller changing
- Extended delivery 2600 mm
- VARIDAMP alcohol dampening
- Automatic Nonstop system for pile logistic in feeder and delivery
- Attrezzatura CX (attrezzatura supplementare per cartone fino a 1,2 mm)
- Densitronic S Tavola di misura professionale
- Intercommunication system between infeed and delivery
- Kba Vari Dry - dryer
- KBA Grafix Rapid Dry
- Ultrasonic double sheet control
- Thin-Paper device



DETTAGLI TECNICI

- Contatore (Milioni) : 185 mio
- Stampa in uscita fogli all'ora : 13.000 s.p.h
- Formato massimo : 1200 x 1620 mm
- Formato mínimo :: 600 x 920 mm
- Spessore del materiale (mm):: 0,04 up to 1.2 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



- circulation with Ipasonic
- Chromed cylinders
- Infrarossi + Essiccatore ad aria calda
- Kersten antistatic high performance version
- Automatic feeder height adjustment
- Kersten Ionblowers in feeder and delivery
- Blower ionization on feeder
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Coating unit with chambered doctor blade and anilox
- Additional anilox roller (according to KBA standard)
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- Automatic non-stop feeder
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- 2 pz. controllo elettromeccanico a doppio foglio (per microonde / cassaforte)
- Pneumatic side guides with optical side guide control, automatic format setting from ErgoTronic console
- Raise 630 mm complete (feeder ,delivery and gallery)
- Sheet travel control per ÛT for cardboard (>450g/m²) (CX)
- Additional package Micro-corrugated and heavy board "standard"

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

