


2011 | HEIDELBERG CX 102 6 LX

+ STAMPA OFFSET ANNO: 2011 6 COLOR + COATER



Descrizione della stampante

Heidelberg Speedmaster CX 102-6+LX (2011) – Full UV Configuration Full UV Configuration: • The Full UV version of this machine allows printing on a wide range of substrates including plastics, foils, and non-absorbent materials. • Includes UV interdeck and end-of-press curing units, which ensure fast drying and high gloss finishes. This is a six-color offset press with a coating unit and extended delivery, ideal for high-performance commercial and packaging printing. The 2011 model includes several advanced features that make it efficient, reliable, and high in print quality.

ATTREZZATURE

- Double sheet control - mechanic
- Autoplate (Cambio semi-automatico della piastra)
- Coating unit with chambered doctor blade
- Foil package for plus feeder and delivery
- Preset Plus nell'alimentatore
- Preset Plus all'uscita - Perfezione fino alla pila
- Automatic blanket, roller and impression-cylinder washing device
- Intercommunication system between infeed and delivery



DETTAGLI TECNICI

- Contatore (Milioni) : 149 Million
- Formato massimo : 720 x 1020 mm
- Formato mínimo :: 280 x 420 mm
- Blanket format : 840 x 1042 mm
- Stampa in uscita fogli all'ora : 16.500 sh/h
- Formato di stampa max.: 710 x 1020 mm
- Consumo di potenza: 80 kw

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com

 **MACHINEX**

- Elevated Machine
- Prinect Press Center
- Steel Plate feeder and delivery
- Rear edge blowers
- Alcolor Vario dampening
- Coating Star Compact
- Intercom Citofono alla fornitura
- Extended 3 Módulos (X3)
- multiple sheet detector
- UV package Coating Unit
- Varnish Supply unit 550 l/h
- AirStar Pro (Air-cooled)
- CleanStar Preset
- I.S.T. UV End of press UV final 3 lamps
- Non Stop in the feeder
- aspirazione del bordo posteriore
- UV Interdeck I.S.T. UV lamp (x3) movable all positions
- CombiStar CANopen : Technotrans ink temp control combined with damping refrigeration + Alcosmart
- Ultrasonic double sheet detection

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

