

2011 | HEIDELBERG XL 105 8 P

+ USED PRINTING MACHINES 2011 8 COLOR



Deskripsi pencetak

PERALATAN

- Sheet slow down device
- Wallscreen Application
- Preset Plus in feeder
- Preset Plus in delivery
- TECHNOTRANS combi refrigeration and ink temp control
- Automatic blanket, roller and impression-cylinder washing device
- Intercommunication system between infeed and delivery
- Electromechanical double sheet control
- Prinect Press Center
- Alcolor Vario dampening
- multiple sheet detector
- Weko AP 500 powder sprayer
- CleanStar Preset
- AirStar pro water cooled
- Autoplate XL simultaneous plate changing



TEKNIS RINCIAN

- Sheet Counter : 348 Mio.
- Max. format : 750 x 1050 mm
- Perfecting : 4 + 4 - 8 + 0

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com




quality Control and Register system

- Automatic perfecting device 8/0; 4/4
- Ultrasonic double sheet detection

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


 +34 682 639 187

 info@machinex.com



2011 | HEIDELBERG CX 102 6 LX

+ USED PRINTING MACHINES 🕒 TAHUN: 2011 📄 6 COLOR + COATER



Deskripsi pencetak

Heidelberg Speedmaster CX 102-6+LX (2011) – Full UV Configuration • The Full UV version of this machine allows printing on a wide range of substrates including plastics, foils, and non-absorbent materials. • Includes UV interdeck and end-of-press curing units, which ensure fast drying and high gloss finishes. This is a six-color offset press with a coating unit and extended delivery, ideal for high-performance commercial and packaging printing. The 2011 model includes several advanced features that make it efficient, reliable, and high in print quality.

PERALATAN

- Double sheet control - mechanic
- Autoplate (Semi automatic plate change)
- Coating unit with chambered doctor blade
- Foil package for plus feeder and delivery
- Preset Plus in feeder
- Preset Plus in delivery
- Automatic blanket, roller and impression-cylinder washing device
- Intercommunication system between infeed and delivery



TEKNIS RINCIAN

- Sheet Counter : 149 Million
- Max. format : 720 x 1020 mm
- Min. format :: 280 x 420 mm
- Blanket format : 840 x 1042 mm
- Print output : 16.500 sh/h
- Max. print format: 710 x 1020 mm
- Power consumption: 80 kw

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


☎ +34 682 639 187

✉ info@machinex.com



- Elevated Machine
- Prinect Press Center
- Steel Plate feeder and delivery
- Rear edge blowers
- Alcolor Vario dampening
- Coating Star Compact
- Intercom to delivery
- Extended 3 Módulos (X3)
- multiple sheet detector
- UV package Coating Unit
- Varnish Supply unit 550 l/h
- AirStar Pro (Air-cooled)
- CleanStar Preset
- I.S.T. UV End of press UV final 3 lamps
- Non Stop in the feeder
- rear edge suction
- UV Interdeck I.S.T. UV lamp (x3) movable all positions
- CombiStar CANopen : Technotrans ink temp control combined with damping refrigeration + Alcosmart
- Ultrasonic double sheet detection

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2003 | HEIDELBERG CD 102 4

+ USED PRINTING MACHINES 203 TAHUN: 2003 4 COLOR



Deskripsi pencetak

PERALATAN

- Autoplate (Semi automatic plate change)
- Preset Feeder
- TECHNOTRANS
- Grafix Exatronic Plus powder sprayer
- Rear edge blowers
- Alcolor Vario dampening
- CombiStar CAN Technotrans ink temp control combined with dampening refrigeration + Alcosmart
- CP 2000 console touch screen
- AirStar Pro (Air-cooled)
- Program-controlled wash-up device (Roller, Blanket & ICWD)
- Pull Lay Control - Double Sheet Control
- Preset delivery
- Complete with manuals and tools



TEKNIS RINCIAN

- Sheet Counter : 150 Mio.
- Max. format : 720 x 1020 mm
- Print output : 15.000 Sheets/h
- Min. format :: 280 x 420 mm
- Power consumption: 80 kw (91.5 with ITC)
- Weight Approx: 32.230 kg

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2006 | HEIDELBERG CD 102 6 LX

+ USED PRINTING MACHINES 2006 6 COLOR + COATER



Deskripsi pencetak

PERALATAN

- Drystar 3000 combination dryer
- Autoplate (Semi automatic plate change)
- Auto impression cylinder wash
- Auto ink roller wash
- Extended delivery LX2
- Preset Plus in feeder
- Preset Plus in delivery
- TECHNOTRANS
- Automatic blanket washing device
- Alcolor Vario dampening
- CP 2000 console touch screen
- CleanStar Preset
- Non Stop in the feeder
- NS (Non Stop in the delivery)
- CombiStar pro inking unit temperature control, water cooled, with AlcoSmart

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



TEKNIS RINCIAN

- Sheet Counter : 258 mio.
- Max. format : 720 x 1020 mm
- Min. format :: 280 x 420 mm
- Print output : 15.000 s.p.h.

2009 | HEIDELBERG SM 74 4

+ USED PRINTING MACHINES 2009 4 COLOR



Deskripsi pencetak

PERALATAN

- Alcolor film dampening
- Double sheet control - ultrasonic
- Sheet slow down device
- Straight machine printing
- Low pile delivery
- Rear edge blowers
- Integrated register
- Baldwin refrigeration
- Weko AP 110 powder sprayer
- program controlled wash up device
- Non Stop rake
- Plate bender
- EasyPlate quick action plate device with automatic positioning of the impression cylinders
- IPA-Metering Premium
- ZMK electronic side lays control



TEKNIS RINCIAN

- Sheet Counter : 99 Mio.
- Max. format : 520 x 740 mm
- Print output : 13.000 s.p.h.
- Max. print format: 510 x 740 mm
- Min. format :: 210 x 280 mm
- Length: 5570 mm
- Power consumption: 54 kw
- Stock Thickness :: 0,03 – 0,6 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



- Complete with manuals and tools
- Non Stop delivery
- Hydrostar dampening solution

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2008 | HEIDELBERG XL 75 4

+ USED PRINTING MACHINES 2008 4 COLOR



Deskripsi pencetak

PERALATAN

- Alcosmart AZR
- Autoplate (Semi automatic plate change)
- TECHNOTRANS
- Prinect Press Center
- Press Center Instant Gate
- Alcolor Vario dampening
- Automatic Blanket Impressions Cylinders & Inking Rollers washing devices
- Press Center Master Level
- PowderStar AP 262 powder sprayer



TEKNIS RINCIAN

- Sheet Counter : 125 Mio.
- Max. format : 530 mm x 750 mm
- Min. format :: 280 mm x 350 mm
- Print output : 15.000 sh/h.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2006 | HEIDELBERG SM 102 2-P

+ USED PRINTING MACHINES 2006 2 COLOR



Deskripsi pencetak

PERALATAN

- Alcolor film dampening
- Double sheet detector
- Autoplate (Semi automatic plate change)
- Chromed impression cylinders
- Preset Plus in feeder
- High Pile delivery
- Grafix Exatronic Plus powder sprayer
- Machine with perfecting device
- Super Blue
- Baldwin Refrigeration
- Steel Plate feeder and delivery
- Rear edge blowers
- multiple sheet detector
- Non Stop rake
- Compresor



TEKNIS RINCIAN

- Sheet Counter : 105 Million
- Perfecting : 2 + 0 - 1 + 1
- Max. format : 720 x 1020 mm
- Min. format :: 280 x 420 mm
- Print output : 13.000 sph
- Frequency: 64.5 kw
- Max. print format: 710 x 1020 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com



- CP 2000 console touch screen
- AirStar Pro (Air-cooled)
- Preset delivery
- Non Stop in the feeder
- Complete with manuals and tools
- Non Stop delivery
- CP 2000 Master Level
- CP 2000 Tandem wash up concept
- Impression Cylinder wash up device
- Blanket wash up device
- Inking Roller wash up device

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2005 | HEIDELBERG PM 52 2

+ USED PRINTING MACHINES 2005 2 COLOR HARGA: 27775 FCA



Deskripsi pencetak

PERALATAN

- Alcolor film dampening
- Autoplate (Semi automatic plate change)
- Classic Center with ink remote control
- Straight machine printing
- Plus Version
- Chromed cylinders
- Technotrans Alpha D refrigeration
- Powder sprayer
- Program-controlled wash-up device (Roller, Blanket & ICWD)
- Low Pile



TEKNIS RINCIAN

- Sheet Counter : 28 mio
- Max. format : 370 x 520 mm
- Min. format :: 105 x 145 mm
- Print output : 15.000 sh/h
- Max. print format: 360 x 520 mm
- Length: 2860 mm
- Weight Approx: 4800 kg

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2009 | HEIDELBERG SUPRASETTER 105



USED PREPRESS EQUIPMENT



TAHUN: 2009



USED CTP COMPUTER TO PLATE



Deskripsi pencetak

With Rip, PST 36 Grafoteam, Serial Number PL002450,
Screened Plates 261865 pcs, Sum all Plates 296430



TEKNIS RINCIAN

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



2018 | HEIDELBERG XL 106 6 LX

+ USED PRINTING MACHINES 2018 6 COLOR + COATER



Deskripsi pencetak

PERALATAN

- Powder Star AP 500
- Axis control 2 (new version)
- Chamber doctor blade coating unit
- Extended delivery LX2
- Sheet slow down device
- Wallscreen Application
- Preset Plus in feeder
- Preset Plus in delivery
- TECHNOTRANS combi refrigeration and ink temp control
- Automatic blanket, roller and impression-cylinder washing device
- ITC Ink temperature control
- Intercommunication system between infeed and delivery
- AutoPlate Advanced
- IPA reduced printing package
- Prinect Press Center

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com




TEKNIS RINCIAN

- Sheet Counter : 95 Million
- Print output : 18,000 Sheets
- Max. format : 750 mm x 1,060 mm
- Min. format :: 340 mm x 480 mm

- Rear edge blowers
- Sheet decurler
- Alcolor Vario dampening
- program controlled wash up device
- multiple sheet detector
- Non Stop rake
- AirStar Pro (Air-cooled)
- CleanStar Preset
- S/W Press Center NetProfiler
- Hycolor Ink- and Dampening System
- IR Dryer Heidelberg DryStar Combination
- Technotrans AlcoSmart AZR
- Software Press Center Instant Start
- 18,000 sph (straight printing press)

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2011 | HEIDELBERG SUPRASETTER 105

 USED PREPRESS EQUIPMENT  TAHUN: 2011  USED CTP COMPUTER TO PLATE



Deskripsi pencetak


Single Cassette loader Glunz & Jensen Quartz III 85 Year 2014
Stacker



TEKNIS RINCIAN

• Working Hours : 9,250 H

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

