

# 2004 | KBA RAPIDA RA 105 6 L ( U ) CX PWVA HYBRID

+ USED PRINTING MACHINES    Ⓞ GODINA: 2004    📄 6 COLOR + COATER



## Printer description

# OPREMA

- Double sheet control - ultrasonic
- Non-stop delivery
- VARIDAMP alcohol dampening
- CX equipment (additional equipment for cardboard until 1.2 mm)
- Intercommunication system between infeed and delivery
- ACR Control Video register
- Elevated Machine
- PWVA Full automatic plate change
- Non Stop feeder
- ErgoTronic ICR (register control)
- Chromed cylinders
- Infrared + Hot air dryer
- ALV 2 Double extension delivery
- Varidry UV dryer 3 lamps in extended delivery
- Baldwin blanket and roller washing



# TEHNIČKI POJEDINOSTI

- Sheet Counter : 145 Mio.
- Max. format : 740 x 1050
- Min. format :: 360 x 520
- Print output : 15.000 s.p.h.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


☎ +34 682 639 187

✉ info@machinex.com

 **MACHINEX**

- ACS (Air-Cleaning-System)
- Weko Ionomat Powder spray (controlled by Colortronic)
- KBA VariDry UV intermediate dryer
- 2 x Interdeck for UV intermediate dryer after unit 1 and 2
- ColorTronic ink fountain with 35 ink keys each 30 mm wide

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)



# 2012 | KBA RAPIDA RA 162 A 6 + L CX

+ USED PRINTING MACHINES    ⌚ GODINA: 2012    📄 6 COLOR + COATER



## Printer description

Ideal for: • Folding carton production • Large-format packaging  
• Commercial print applications requiring high quality Suitable for:  
• Corrugated board (microflute, E, F, N) • Solid board & folding carton • Large-format packaging and display print • Commercial print jobs requiring large format and durability

## OPREMA

- Crane for anilox roller changing
- Extended delivery 2600 mm
- VARIDAMP alcohol dampening
- Automatic Nonstop system for pile logistic in feeder and delivery
- CX equipment (additional equipment for cardboard until 1.2 mm)
- Densitronic S Professional measuring table
- Intercommunication system between infeed and delivery
- Kba Vari Dry - dryer
- KBA Grafic Rapid Dry
- Ultrasonic double sheet control



## TEHNIČKI POJEDINOSTI

- Sheet Counter : 185 mio
- Print output : 13.000 s.p.h
- Max. format : 1200 x 1620 mm
- Min. format :: 600 x 920 mm
- Stock Thickness :: 0,04 up to 1.2 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


☎ +34 682 639 187

✉ info@machinex.com



- Baldwin High Liner Combi device for refrigeration + circulation with Ipasonic
- Chromed cylinders
- Infrared + Hot air dryer
- Kersten antistatic high performance version
- Automatic feeder height adjustment
- Kersten Ionblowers in feeder and delivery
- Blower ionization on feeder
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Coating unit with chambered doctor blade and anilox
- Additional anilox roller (according to KBA standard)
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- Automatic non-stop feeder
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- 2 pcs. electromechanical double sheet control (for microwave / heavy cardboard)
- Pneumatic side guides with optical side guide control, automatic format setting from ErgoTronic console
- Raise 630 mm complete ( feeder ,delivery and gallery)
- Sheet travel control per ÜT for cardboard (>450g/m<sup>2</sup>) (CX)
- Additional package Micro-corrugated and heavy board "standard"

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)



# 2005 | KBA RAPIDA RA 162 (A) 5

+ USED PRINTING MACHINES    ⌚ GODINA: 2005    📄 5 COLOR



## Printer description

# OPREMA

- VARIDAMP alcohol dampening
- Kersten AntiStatic in the feeder
- Ultrasonic double sheet control
- FAPC (Full Automatic Plate Change)
- Automatic inking roller washing device
- Weko AP 260 powder spray with ionisation and remote control
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Ergotronic ColorControl



# TEHNIČKI POJEDINOSTI

- Sheet Counter : 420 Mio.
- Max. format : 1200 x 1620 mm
- Min. format :: 600 x 920 mm
- Stock Thickness :: 0,06 up to 0,8 mm
- Print output : 12.000 sp/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

✉ info@machinex.com



# 2005 | KBA RAPIDA RA 105 5 L (U) CX

+ USED PRINTING MACHINES    ⌚ GODINA: 2005    📄 5 COLOR + COATER



## Printer description

# OPREMA

- All Wash Up Devices
- Combination dryer hot air / IR
- Electromechanic double-sheet control
- Grafix Multicontrol
- VARIDAMP alcohol dampening
- CX equipment (additional equipment for cardboard until 1.2 mm)
- KBA Grafix Rapid Dry
- Ultrasonic double sheet control
- PWHA semi automatic plate change
- Non Stop feeder
- ALV 2 (extended delivery)
- Harris & Bruno coating unit
- Weko AP 232 powder spray
- ColorTronic ink fountain with 35 ink keys each 30 mm wide



# TEHNIČKI POJEDINOSTI

- Sheet Counter : 110 Million
- Sheet size (max in mm): 720 x 1050 mm
- Sheet size ( minimum in mm ) : 360 x 520 mm
- Print output : 15.000 s.p.h.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

✉ info@machinex.com



# 2004 | KBA RAPIDA RA 105-8+L SW4 PWVA ALV2

+ USED PRINTING MACHINES    Ⓞ GODINA: 2004    📖 8 COLOR + COATER



## Printer description

# OPREMA

- VARIDAMP alcohol dampening
- Densitronic S Professional measuring table
- Intercommunication system between infeed and delivery
- Weko AP 262 Powder
- Ultrasonic double sheet control
- Machine with perfecting device
- Automatic inking roller washing device
- Ergotronic console
- Eltosch IR Infra red dryer
- PWVA Full automatic plate change
- KBA Logotronic
- Rietschle Air Center
- Technotrans Alpha C
- ALV 2 Double extension delivery
- Kersten antistatic high performance version



# TEHNIČKI POJEDINOSTI

- Max. format : 750 x 1050 mm
- Min. format :: 340 x 480 mm
- Max. print format: 710 x 1030 mm
- Print output : 15.000 sh/h
- Sheet Counter : 102 Mio.
- Perfecting : 8 + 0 - 4 + 4
- HS Code:: 84431310

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


☎ +34 682 639 187

✉ info@machinex.com



- ACS (Air-Cleaning-System)
- 3 Eltosch UV lamps on Delivery
- Technotrans AlcoSmart AZR
- Control console with Colortronic color metering, 17-inch monitor, color test lamp 6500°K
- Impression Cylinder wash up device

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)





# 1997 | KBA RAPIDA RA 104 5 SW

+ USED PRINTING MACHINES    ⌚ GODINA: 1997    📄 5 COLOR



## Printer description

# OPREMA

- double sheet control - electronic
- VARIDAMP alcohol dampening
- Machine with perfecting device
- PWHA semi automatic plate change
- Baldwin refrigeration
- Weko Ionomat Powder spray (controlled by Colortronic)
- Blanket wash up device



# TEHNIČKI POJEDINOSTI

- Sheet Counter : 160 Million
- Max. format : 740 x 1,040 mm
- Min. format :: 360 x 520 mm
- Stock Thickness :: 50 - to 450 grm<sup>2</sup>
- Print output : 15.000 sh/h
- Perfecting : 5 + 0 - 1 + 4

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

📧 info@machinex.com



# 2014 | KBA RAPIDA RA 106 6 L FAPC ALV3

+ USED PRINTING MACHINES    Ⓞ GODINA: 2014    📖 6 COLOR + COATER



## Printer description

# OPREMA

- CX equipment (additional equipment for cardboard until 1.2 mm)
- Qualitronic ColorControl
- Intercommunication system between infeed and delivery
- CleanTronic Synchro for parallel washing for rollers and blankets cylinders
- SIS Sensoric Infeed System
- Wall screen for visualisation of all press settings
- Ergotronic LAB (Colour measurement and control according to LAB values)
- Quali Tronic Live View
- Dust Removal in the Infeed
- EES - Emission Extraction System
- Wall screen for visualisation of all press processes
- ErgoTronic Lab - Color measurement and control acc. to Lab values
- QualiTronic Quality Pass - Creation of colour

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

✉ info@machinex.com



# TEHNIČKI POJEDINOSTI

- Sheet Counter : 175 Million
- Print output : 20,000 sh/h
- Stock Thickness :: 40g/m2 - 1,2 mm
- Max. format : 740 x 1060 mm
- Min. format :: 340 x 480 mm

- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- Additional package "Active air-cooling for control cabinets"
- Extended delivery 3800 mm (ALV 3)
- Pallet for Nonstop, plastic material
- Blower cassette for cardboard sheet guiding
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- Additional package "High efficiency antistatic equipment"
- QualiTronic LiveView - Display of a "live" image of each printed sheet
- QualiTronic Quality Pass - Creation of colour measurement reports for quality control
- 1 Coating unit (L) with chambered doctor blade system
- ErgoTronic ColorDrive - Ink density measurement along the x-axis at the ErgoTronic console
- QualiTronic ColorControl (straight printing) - Inline ink density measurement
- Additional package "High-Speed" for straight-printing presses 20.000 sh/h
- KBA VariDry IR/HotAir in delivery and extended delivery (ALV3)
- Combi-Cooling Unit with Remote Condenser and FloClear Filtration System
- Air Cabinet with water heat exchanger (for water cooling)
- Varnish supply and cleaning system for water-based varnish, with operation via control console, pump output dependent on viscosity (HARRIS & BRUNO)
- Dryer connection for final and intermediate dryers
- In-line tower coater

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)



# 2009 | KBA RAPIDA RA 105 6 L ( P31 ) HYBRID

+ USED PRINTING MACHINES    Ⓞ GODINA: 2009    📄 6 COLOR + COATER



## Printer description

# OPREMA

- Grafix Infra Red Dryer
- VARIDAMP alcohol dampening
- CX equipment (additional equipment for cardboard until 1.2 mm)
- Densitronic S Professional measuring table
- ACR Control Video register
- Automatic inking roller washing device
- Elevated Machine
- Baldwin Refrigeration
- Kersten antistatic high performance version
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- GRAFIX MEGATRONIC-S with control station operation and ionization (Kersten)



# TEHNIČKI POJEDINOSTI

- Sheet Counter : 90 Million
- Max. format : 740 x 1050 mm
- Min. format :: 360 x 520 mm
- Print output : 15.000 sh/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


☎ +34 682 639 187

✉ info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)

