

1993 | BOBST SP 102 CER II

 USED PACKAGING MACHINES  ■■■ : 1993  USED DIE CUTTER (FLATBED)




The Bobst SP 102-CER II, manufactured in 1993, is a high-performance automatic die-cutting machine used primarily in the packaging and printing industry. Main Features: • Stripping station: automatic removal of waste • Non-stop feeder and delivery (some models/upgrades) • Precision register system • Operator-friendly control panel Use Case: Ideal for high-volume, precise die-cutting jobs in folding carton and packaging production.

- Stripping section
- Quicklock for Upper Stripping Station
- Non Stop feeder
- Non Stop delivery
- Centerline system for quick job changes



- Working Hours :
- Processed materials : Paper & Cardboard
- Carton board : up to 2000 g/m2
- Corrugated board: up to 4 mm
- Sheet size (max in mm): 720 x 1020 mm
- Sheet size (minimum in mm): 350 x 400 mm
- Speed : 7.500 sp/h
- Max Pressure : 250 Tons

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

 **MACHINEX**

2012 | KBA RAPIDA RA 162 A 6 + L CX

+ USED PRINTING MACHINES ◻: 2012 ◻ 6 COLOR + COATER



Ideal for: • Folding carton production • Large-format packaging • Commercial print applications requiring high quality Suitable for: • Corrugated board (microflute, E, F, N) • Solid board & folding carton • Large-format packaging and display print • Commercial print jobs requiring large format and durability



- Crane for anilox roller changing
- Extended delivery 2600 mm
- VARIDAMP alcohol dampening
- Automatic Nonstop system for pile logistic in feeder and delivery
- CX equipment (additional equipment for cardboard until 1.2 mm)
- Densitronic S Professional measuring table
- Intercommunication system between infeed and delivery
- Kba Vari Dry - dryer
- KBA Grafix Rapid Dry
- Ultrasonic double sheet control
- Thin-Paper device
- Baldwin High Liner Combi device for refrigeration + circulation with Ipasonic



- Sheet Counter : 185 mio
- Print output : 13.000 s.p.h
- Max. format : 1200 x 1620 mm
- Min. format :: 600 x 920 mm
- Stock Thickness :: 0,04 up to 1.2 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


☎ +34 682 639 187

✉ info@machinex.com



- Infrared + Hot air dryer
- Kersten antistatic high performance version
- Automatic feeder height adjustment
- Kersten Ionblowers in feeder and delivery
- Blower ionization on feeder
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Coating unit with chambered doctor blade and anilox
- Additional anilox roller (according to KBA standard)
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- Automatic non-stop feeder
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- 2 pcs. electromechanical double sheet control (for microwave / heavy cardboard)
- Pneumatic side guides with optical side guide control, automatic format setting from ErgoTronic console
- Raise 630 mm complete (feeder ,delivery and gallery)
- Sheet travel control per ÛT for cardboard (>450g/m²) (CX)
- Additional package Micro-corrugated and heavy board "standard"

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com




2011 | HEIDELBERG XL 105 8 P

+ USED PRINTING MACHINES 2011 8 COLOR



- Sheet slow down device
- Wallscreen Application
- Preset Plus in feeder
- Preset Plus in delivery
- TECHNOTRANS combi refrigeration and ink temp control
- Automatic blanket, roller and impression-cylinder washing device
- Intercommunication system between infeed and delivery
- Electromechanical double sheet control
- Prinect Press Center
- Alcolor Vario dampening
- multiple sheet detector
- Weko AP 500 powder sprayer
- CleanStar Preset
- AirStar pro water cooled
- Autoplate XL simultaneous plate changing
- Prinect Inpress Control – inline color measurement, quality Control and Register system
- Automatic perfecting device 8/0; 4/4



- Sheet Counter : 348 Mio.
- Max. format : 750 x 1050 mm
- Perfecting : 4 + 4 - 8 + 0

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2011 | HEIDELBERG CX 102 6 LX

+ USED PRINTING MACHINES 2011 6 COLOR + COATER



Heidelberg Speedmaster CX 102-6+LX (2011) – Full UV Configuration • The Full UV version of this machine allows printing on a wide range of substrates including plastics, foils, and non-absorbent materials. • Includes UV interdeck and end-of-press curing units, which ensure fast drying and high gloss finishes. This is a six-color offset press with a coating unit and extended delivery, ideal for high-performance commercial and packaging printing. The 2011 model includes several advanced features that make it efficient, reliable, and high in print quality.

- Double sheet control - mechanic
- Autoplate (Semi automatic plate change)
- Coating unit with chambered doctor blade
- Foil package for plus feeder and delivery
- Preset Plus in feeder
- Preset Plus in delivery
- Automatic blanket, roller and impression-cylinder washing device
- Intercommunication system between infeed and delivery
- IPA reduced printing package
- Elevated Machine
- Prinect Press Center



- Sheet Counter : 149 Million
- Max. format : 720 x 1020 mm
- Min. format :: 280 x 420 mm
- Blanket format : 840 x 1042 mm
- Print output : 16.500 sh/h
- Max. print format: 710 x 1020 mm
- Power consumption: 80 kw

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com



- Rear edge blowers
- Alcolor Vario dampening
- Coating Star Compact
- Intercom to delivery
- Extended 3 Módulos (X3)
- multiple sheet detector
- UV package Coating Unit
- Varnish Supply unit 550 l/h
- AirStar Pro (Air-cooled)
- CleanStar Preset
- I.S.T. UV End of press UV final 3 lamps
- Non Stop in the feeder
- rear edge suction
- UV Interdeck I.S.T. UV lamp (x3) movable all positions
- CombiStar CANopen : Technotrans ink temp control combined with damping refrigeration + Alcosmart
- Ultrasonic double sheet detection

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2011 | BOBST VISIONCUT 106 LE AUTOPLATINE

+ USED PACKAGING MACHINES 2011 USED DIE CUTTER (FLATBED)



The BOBST VISIONCUT 106 LE is an automatic flatbed die-cutting machine designed for high-precision cutting and stripping of various materials, including paper, carton board, and corrugated board up to 4 mm thick. It accommodates sheet sizes up to 1,060 x 760 mm and operates at speeds up to 9,000 sheets per hour. Key Features: • Contactless Sheet Registration: Utilizes the Optical Lateral Register system for precise alignment without physical contact, ensuring high-quality output. • AUTOPLATEN® Technology: Features a cam-driven platen for smooth sheet acceleration, reducing the need for nicks and enhancing die-cutting precision. • User-Friendly Interface: Equipped with an advanced Human Machine Interface (HMI) that provides step-by-step setup guidance, simplifying operations and reducing setup times. • Versatility: Capable of handling a wide range of materials, making it suitable for various packaging applications across industries such as food, beverages, personal care, and more

- Automatic Feed
- Smart feeder
- Centerline system for quick job changes
- Waste removal equipment with support bars and telescopic pins
- Optical Lateral Register
- Optical Register Sheet Infeed System ORSIS (Optical Register Sheet Infeed synchronisation)

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



- Carton board : Up to 2,000 g/m²
- Corrugated board: Up to 4 mm thick
- Sheet size (max in mm): 1,060 x 760 mm
- Sheet size (minimum in mm): 400 x 350 mm
- Speed : Up to 9,000 sheets per hour
- Max Pressure : Up to 2.6 MN (286 US tons)

- Bobst-Electronic machine operating system C.U.B.E. II
- Optical side register control

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



2003 | HEIDELBERG CD 102 4

+ USED PRINTING MACHINES  : 2003  4 COLOR



- Autoplate (Semi automatic plate change)
- Preset Feeder
- TECHNOTRANS
- Grafix Exatronic Plus powder sprayer
- Rear edge blowers
- Alcolor Vario dampening
- CombiStar CAN Technotrans ink temp control combined with damping refrigeration + Alcosmart
- CP 2000 console touch screen
- AirStar Pro (Air-cooled)
- Program-controlled wash-up device (Roller, Blanket & ICWD)
- Pull Lay Control - Double Sheet Control
- Preset delivery
- Complete with manuals and tools



- Sheet Counter : 150 Mio.
- Max. format : 720 x 1020 mm
- Print output : 15.000 Sheets/h
- Min. format : 280 x 420 mm
- Power consumption: 80 kw (91.5 with ITC)
- Weight Approx: 32.230 kg

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com





2004 | POLAR 115 X

+ USED CUTTING MACHINES ◻ : 2004 ◻ USED GUILLOTINES



- Side Table left
- Color display
- light barrier
- Program
- Side Table right
- Chrome table
- Extra knife
- Airtable
- Safety beams
- Stack lift LW 1000 4
- Including Tools, Manuals and Accessories



- Max Cut Width: 1150 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

✉ info@machinex.com




2005 | MAN ROLAND R 706 LV

+ USED PRINTING MACHINES 2005 6 COLOR + COATER



- Chromed impression cylinders
- TECHNOTRANS
- Automatic blanket, roller and impression-cylinder washing device
- Electromechanic double-sheet control
- PPL semi automatic plate change
- RCI Remote Ink Control with CCI
- Rolandmatic dampening system
- Steel Plate in feeder and Delivery
- ITC -Ink Temperature Control
- PIAB Air Supply System
- Techkon SpectroDrive Colour Bar Scanner



- Sheet Counter : 340 Mio.
- Max. format : 740 x 1,020 mm
- Min. format :: 340 x 480 mm
- Print output : 16.000 sph.
- Max. print format: 715 x 1.020 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



2005 | KBA RAPIDA RA 162 (A) 5

+ USED PRINTING MACHINES 2005 5 COLOR



- VARIDAMP alcohol dampening
- Kersten AntiStatic in the feeder
- Ultrasonic double sheet control
- FAPC (Full Automatic Plate Change)
- Automatic inking roller washing device
- Weko AP 260 powder spray with ionisation and remote control
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Ergotronic ColorControl



- Sheet Counter : 420 Mio.
- Max. format : 1200 x 1620 mm
- Min. format :: 600 x 920 mm
- Stock Thickness :: 0,06 up to 0,8 mm
- Print output : 12.000 sp/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



1991 | POLAR 155

+ USED CUTTING MACHINES

1991

USED GUILLOTINES



- Color display
- Program
- Chrome table
- Airtable
- Photocells



- Max Cut Width: 155 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

