

2011 | KBA RAPIDA RA 106 7 LTTL CX ALV2 HYBRID

+ STAMPA OFFSET ◻ ANNO: 2011 ◻ 7 COLORI + DOPPIA VERNICE



Descrizione della stampante

ATTREZZATURE

- VARIDAMP alcohol dampening
- Attrezzatura CX (attrezzatura supplementare per cartone fino a 1,2 mm)
- Baldwin CombiLiner 852 High Tech cooling device
- Thin-Paper device
- Controllo elettromeccanico a doppio foglio
- Lack Unit (Harris & Bruno)
- ALV 2 Double extension delivery
- Kersten Ionblowers in feeder and delivery
- Blower ionization on feeder
- Cleantronic Multi purpose washing system for blanket and impression cylinder & roller washing system
- EES- Sistema di estrazione delle emissioni
- SCC - Specialty Coatings Circulator
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting
- QualiTronic Professional (straight printing) - Inline ink



DETTAGLI TECNICI

- Formato massimo : 750 x 1060 mm
- Formato mínimo :: 340 x 480 mm
- Stampa in uscita fogli all'ora : 18.000 sh/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



inserter

- Varnish supply and cleaning system for water-based varnish and UV-varnish, with operation via control console, pump output dependent on viscosity (HARRIS & BRUNO)
- KBA VariDry IR / Hot-air end dryer / UV in delivery
- GRAFIX MEGATRONIC-S with control station operation and ionization (Kersten)
- Elevated 675 mm with foundation
- 3 Interdeck UV con posizione intercambiabile in ogni unità
- Additional package Micro-corrugated and heavy board "standard"
- Configuration 7 printing units - 1 Coating unit - 1 Drying unit - 1 Drying unit - 1 Coating unit
- Automatic Non Stop version pile feeder

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187



info@machinex.com



MACHINEX

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

