

2011 | KBA RAPIDA RA 106 7 LTTL CX ALV2 HYBRID

+ IMPRESSORA OFFSET 2011 7 CORES + DUPLO VERNIZ



Descrição da impressora

EQUIPAMENTO

- VARIDAMP amortecedor de álcool
- Equipamento CX (equipamento adicional para cartão) até 1,2 mm
- Baldwin CombiLiner 852 Dispositivo de resfriamento High Tech
- Thin-Paper device
- Controle eletromecânico de dupla folha
- Lack Unit (Harris & Bruno)
- ALV 2 Prolongamento duplicado da saída
- Kersten Ionblowers in feeder and delivery
- Blower ionization on feeder
- Cleantronic Multi purpose washing system for blanket and impression cylinder & roller washing system
- EES- Sistema de Extração de Emissões
- SCC - Specialty Coatings Circulator
- ErgoTronic ACR - Automatic Camera Register, video camera for register setting



DETALHES TÉCNICOS

- Formato máximo : 750 x 1060 mm
- Formato mínimo :: 340 x 480 mm
- Produtividade : 18.000 sh/h

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



density measurement and sheet inspection, with one tag inserter

- Varnish supply and cleaning system for water-based varnish and UV-varnish, with operation via control console, pump output dependent on viscosity (HARRIS & BRUNO)
- KBA VariDry IR / Hot-air end dryer / UV in delivery
- GRAFIX MEGATRONIC-S with control station operation and ionization (Kersten)
- Elevated 675 mm with foundation
- 3 UV Interdeck with interchangeable position in each unit
- Pacote adicional "standard" de cartão microcanelado e pesado
- Configuration 7 printing units - 1 Coating unit - 1 Drying unit - 1 Drying unit - 1 Coating unit
- Automatic Non Stop version pile feeder

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

