

2022 | HEIDELBERG CX 104 6 LX HYBRID

+ DRUCKMASCHINEN (OFFSET) JAHR: 2022 6 FARBEN + LACK



Druckerbeschreibung

The Speedmaster CX 104-6 LX is a top-tier, high-throughput sheetfed offset press with 6-color + coating and UV hybrid functionality. It combines large sheet capacity, smart automation. Many packaging printers choose the CX 104 for its hybrid capabilities and high uptime. Ideal Use Cases • High-volume commercial print: magazines, catalogs • Packaging: folding cartons, larger board stocks (250–500gsm) • Label printing: with high flexibility in substrates

AUSRÜSTUNG

- Double sheet control - ultrasonic
- Chromed impression cylinders
- Coating unit with chambered doctor blade
- Foil package for plus feeder and delivery
- Sheet slow down device
- Preset Plus im Anleger
- Preset Plus in der Auslage - Perfektion bis zum Stapel
- Intercommunication system between infeed and delivery
- Elektromechanische Doppelbogenkontrolle
- StaticStar compact
- Steel Plate feeder and delivery
- Thickness 0,3 - to 1,0 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



TECHNISCHE DETAILS

- Laufleistung : 21 Million
- Max. Bogenformat : 720 x 1.040 mm
- Min. Bogenformat :: 340 x 480 mm
- Maximale Geschwindigkeit Bg./h : 15.000 Sheet

- Coating Star Compact
- Extended 3 Módulos (X3)
- multiple sheet detector
- UV package Coating Unit
- Electromechanical Stream Controls
- Air Transfer System
- CleanStar Preset
- AirStar pro water cooled
- Programmierbare Waschautomatik für Farbwalze und Gummituch
- IPA-Metering Premium
- UV Drying - 2 x End of Press
- Druckwerke vorbereitet für UV-Zwischentrockner
- Non Stop in the feeder
- Automatic cleaning of inking rollers
- Anilox roller 120 L/cm
- Pressezentrum Energie-Berichterstattung
- UV Interdeck I.S.T. UV lamp (x3) movable all positions
- PowderStar AP 262 Pudergerät
- Software Press Center DryStar Advanced
- Software Press Center Instant Start
- XL Bogen Ausrichtung
- Energieeffizienter ScrollStar-Pneumatik Verdichter mit öl- und kondensatfreie Scrollmodus und Kältetrockner
- Intelliline LED-Navigationsunterstützung an der Druckmaschine
- Intellistart 3 Integrierte Software Anwendung
- Color Fast Solution integrierte Software-Anwendung
- Wash Assistant Integrierte Software-Anwendung
- Automatic Central lubrication system
- Press Center 3/XL 3 Color Assistant Pro
- Air Assistant Integrierte Software Anwendung
- Heidelberg DryStar Combination (with 3 modules)
- AutoPlate toollese plate change in approx 50 seconds per unit

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

