## 2022 | HEIDELBERG CX 104 6 LX HYBRID

🕂 USED PRINTING MACHINES 🕡 2022 - שַׁנַה 📈 6 COLOR + COATER



## תיאור המדפסת

The Speedmaster CX 104-6 LX is a top-tier, high-throughput sheetfed offset press with 6-color + coating and UV hybrid functionality. It combines large sheet capacity, smart automation. Many packaging printers choose the CX 104 for its hybrid capabilities and high uptime. Ideal Use Cases · Highvolume commercial print: magazines, catalogs · Packaging: folding cartons, larger board stocks (250-500gsm) · Label printing: with high flexibility in substrates

## ציוּד

- · Double sheet control ultrasonic
- · Chromed impression cylinders
- · Coating unit with chambered doctor blade
- Foil package for plus feeder and delivery
- · Sheet slow down device
- Preset Plus in feeder
- Preset Plus in delivery
- · Intercommunication system between infeed and delivery
- · Electromechanical double sheet control
- · StaticStar compact
- · Steel Plate feeder and delivery
- Thickness 0,3 to 1,0 mm

טֵכנִי פרטים

Sheet Counter: 21 Million

Max. format: 720 x 1.040 mm

• Min. format :: 340 x 480 mm

• Print output: 15.000 Sheet

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU





- Coating Star Compact
- Extended 3 Módulos (X3)
- · multiple sheet detector
- · UV package Coating Unit
- · Electromechanical Stream Controls
- Air Transfer System
- CleanStar Preset
- · AirStar pro water cooled
- Programmable auto washing for ink roller and blanket
- · IPA-Metering Premium
- · UV Drying 2 x End of Press
- · Printing units prepared for intermediate UV dryers
- · Non Stop in the feeder
- · Automatic cleaning of inking rollers
- · Anilox roller 120 L/cm
- Press Center Energy Reporting
- UV Interdeck I.S.T. UV lamp (x3) movable all positions
- · PowderStar AP 262 powder sprayer
- · Software Press Center DryStar Advanced
- Software Press Center Instant Start
- · XL Sheet Alignment
- ScrollStar energy efficient pneumatic compressor with oil and condensate free scroll module and refrigeration dryer
- · Intelliline LED navigation support at the press
- Intellistart 3 Integrated software application
- · Color Fast Solution integrated software application
- · Wash Assistant Integrated software application
- Automatic Central lubrication system
- Press Center 3/XL 3 Color Assistant Pro
- · Air Assistant Integrated software application
- · Heidelberg DryStar Combination (with 3 modules)
- AutoPlate toollese plate change in approx 50 seconds per unit

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU







SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU