

2016 | KOMORI GL 640 C HYBRID

+ MÁQUINAS DE IMPRESIÓN 2016 AÑO: 2016 6 COLORES + BARNIZ



Descripción de la impresora

The machine is equipped with a complete drying system including UV, H-UV and IR technology, providing high flexibility for a wide range of production requirements. Configuration includes two UV interdeck lamps, movable between printing units (positions 1, 2, 4, 5 and 6), allowing optimized curing depending on job setup. Additionally, the press is fitted with an IR dryer with integrated hot air at the end of press (EOP), as well as one UV lamp at delivery, ensuring efficient drying performance for both conventional and UV applications. The drying system is supplied by Baldwin (OEM), guaranteeing reliable operation and industrial production standards.

EQUIPO

- APC el cambio de planchas totalmente automático
- KHS-AI (Advanced Interface) con función de autoaprendizaje
- Infrarrojo + Secador de aire caliente
- AMR - Preparación automática
- Refrigeración Technotrans Alpha.D
- Grafix Digital spray de polvo
- Prensa de embalaje de alta calidad (híbrida)



DETALLES TÉCNICOS

- Contador diario : 30 Mio.
- Formato máx. : 720 x 1,030 mm
- formato min.: 360 x 520 mm
- Espesor :: 0.04–1.0 mm
- Blanket format : 920 x 1040 mm
- Rendimiento de Impresión : 16.500 sph.
- Formato máx. de impresión: 710 x 1020 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



- Automatic blanket Washers (ABW)
- Espectrofotómetro en línea Komori PDC SX Función de filtro Poli
- Secador Baldwin H-UV en la salida


SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

