

2016 | KOMORI GL 640 C HYBRID

+ IMPRESSORA OFFSET  ANO: 2016  6 CORES + VERNIZ



Descrição da impressora

The machine is equipped with a complete drying system including UV, H-UV and IR technology, providing high flexibility for a wide range of production requirements. Configuration includes two UV interdeck lamps, movable between printing units (positions 1, 2, 4, 5 and 6), allowing optimized curing depending on job setup. Additionally, the press is fitted with an IR dryer with integrated hot air at the end of press (EOP), as well as one UV lamp at delivery, ensuring efficient drying performance for both conventional and UV applications. The drying system is supplied by Baldwin (OEM), guaranteeing reliable operation and industrial production standards.

EQUIPAMENTO

- Troca totalmente automática de chapas APC
- KHS-AI (Advanced Interface) with Self-learning Function
- Infravermelho + secador por ar quente
- AMR - Preparação Automática
- Refrigeração Technotrans Alpha.D
- Grafix Spray digital em polvilho
- Prensa de embalagem de alta qualidade (Híbrido)
- Automatic Ink Roller Cleaner (AIRC)



DETALHES TÉCNICOS

- Impressão (Milhões) : 30 Mio.
- Formato máximo : 720 x 1,030 mm
- Formato mínimo :: 360 x 520 mm
- Espesor del stock :: 0.04–1.0 mm
- Blanket format : 920 x 1040 mm
- Produtividade : 16.500 sph.
- Formato máx. de impressão: 710 x 1020 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



- Função do Filtro Poli do Espectrofotómetro Komori PDC SX Online
- Baldwin H-UV dryer in delivery

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

