

# 2016 | KBA RAPIDA RA 106 6 LTTL FAPC ALV3 CX HYBRID

+ USED PRINTING MACHINES   年: 2016   6 COLOR + DOUBLE COATER



## 打印机说明

Kba Varidry UV Interdeck after unit 2 / after 5 / after 6.1 after coater in drying unit / 3 UV lamps in the delivery

## 设备

- Crane for anilox roller changing
- Cardboard, Metalized Paper, Plastic and Foil package
- VARIDAMP alcohol dampening
- CX equipment (additional equipment for cardboard until 1.2 mm)
- Qualitronic ColorControl
- Intercommunication system between infeed and delivery
- ACR Control Video register
- SIS Sensoric Infeed System
- Ergotronic console
- Chromed cylinders
- AMS LED UV x 2 Lamps
- Hikey Picker
- Close-loop Colour management



## 技术 详细信息

- Sheet Counter : 120 Million
- Max. format : 740 x 1060 mm
- Min. format :: 340 x 480 mm
- Print output : 18.000 sph.
- Stock Thickness :: up to 1.2 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com

 MACHINEX


- CIPLink Ink profile presetting via CIP3 data
- ACS (Air-Cleaning-System)
- Dust Removal in the Infeed
- SCC - Specialty Coatings Circulator
- EES - Emission Extraction System
- KBA VariDry BLUE IR/HotAir/UV in delivery and extended delivery (ALV3)
- Wall screen for visualisation of all press processes
- Additional package "Active air-cooling for control cabinets"
- Changing ink application printing unit
- Drying unit (T) for straight-printing presses
- Extended delivery 3800 mm (ALV 3)
- Pallet for Nonstop, plastic material
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- Roller covering for alcohol-reduced printing (UV and normal ink)
- Varnish supply and cleaning system for water-based varnish and UV-varnish, with operation via control console, pump output dependent on viscosity (HARRIS & BRUNO)
- Kba PressSupport 24 Sheetfed with internet connection for remote maintenance and software updates
- QualiTronic Quality Pass - Creation of colour measurement reports for quality control
- 1 Coating unit (L) with chambered doctor blade system
- CleanTronic - Multi-purpose washing system for blankets and impression cylinders & roller washing system for conventional OR UV inks
- Inking unit temperature control without ink duct roller cooling, incl. High-tech combi-cooling unit, air-cooled (TECHNOTRANS)
- Two (2) Harris and Bruno Combi Circulator Pumps - LC2 with Add-on LC1A
- Additional package "Light-weight paper Speed"
- 4 x Exchange position for UV intermediate dryer
- Anilox-Loader - Automatic anilox roller change for 3 anilox rollers in the coater
- KBA VariDry IR/HotAir/UV in the drying unit
- QualiTronic ColorControl (straight printing) - Inline ink density measurement
- Configuration: 6 colors - 1 Coater - 1 Dryer - 1 Dryer - 1 Coater
- Cardboard-tube version for blanket and impression cylinder washing system

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)







SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)

 **MACHINEX**



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

