


2000 | KBA RAPIDA RA 162 (A) 5

+ IMPRESSORA OFFSET 20 ANO: 2000 5 CORES



DESCRIÇÃO DA IMPRESSORA

EQUIPAMENTO

- Controle eletromecânico de folha dupla
- VARIDAMP amortecedor de álcool
- Ultrasonic double sheet control
- Technotrans beta C
- Dispositivo automático de lavagem de rolos de tinta
- PWVA Câmbio totalmente automático
- Cilindros cromados
- Weko AP 260 powder spray with ionisation and remote control
- Blower ionization on feeder
- Secador Eltosch Drytronic IR
- ColorTronic ink fountain with 35 ink keys each 30 mm wide



DETALHES TÉCNICOS


- Formato máximo : 1200 x 1620 mm
- Impressão (Milhões) : 158 Mio.
- Produtividade : 12.000 sp/h
- Formato mínimo :: 600 x 920 mm
- Espesor del stock :: 0,06 up to 0,8 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

 **MACHINEX**