


2008 | KBA RAPIDA RA 105-8+L CX PWHA ALV2 HYBRID

+ STAMPA OFFSET ANNO: 2008 8 COLOR + COATER



DESCRIZIONE DELLA STAMPANTE

ATTREZZATURE

- All Wash Up Devices
- Double sheet control - ultrasonic
- Chromed impression cylinders
- Electromechanic double-sheet control
- Cardboard, Metalized Paper, Plastic and Foil package
- CIP Link with online connection
- Antistatic device feeder and delivery for plastic
- Extended delivery 2600 mm
- VARIDAMP alcohol dampening
- Attrezzatura CX (attrezzatura supplementare per cartone fino a 1,2 mm)
- Intercommunication system between infeed and delivery
- Kba Vari Dry - dryer
- Weko AP 262 Powder
- elevated press 450 mm
- ACR Control Video register



DETTAGLI TECNICI

- Contatore (Milioni) : 139 Million
- Stampa in uscita fogli all'ora : 15.000 s.p.h.
- Spessore del materiale (mm):: up to 1.2 mm
- Formato massimo : 740 x 1050 mm
- Formato mínimo :: 340 x 480 mm


SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**

- Ink temperature control
- PWA Cambio semiautomático della piastra
- Stampa a macchina dritta
- Non Stop feeder
- IR Hot Air and UV Dryer on delivery
- Lack Unit (Harris & Bruno)
- Chromed cylinders
- Infrarossi + Essiccatore ad aria calda
- ALV 2 Double extension delivery
- Automatic feeder height adjustment
- chamber varnish unit Harris & Bruno
- Blower ionization on feeder
- Register Setting Mechatronic remote setting of lateral, circumferential and diagonal register from the ErgoTronic console
- VariDry Blue IR/hot air/UV in the delivery
- Additional package plastic printing
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Pressa da imballaggio di alta qualità (ibrida)
- Camera system for monitoring sheet traveling feeder and delivery
- Technotrans Beta refrigerazione
- Additional anilox roller (according to KBA standard)
- Additional package "Foil printing"
- Dust extraction (for cardboard)
- 4 IR + 5 TL + (3 IR + 6 TL) + (3 UV)
- 3 UV Interdeck dryer Varidry Unit 1,4 & 8 Totally Flexible with 6 Interchangeable positions






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU


+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

