

# 2007 | KOMORI LS 640 DU + C HYBRID

+ STAMPA OFFSET    20 ANNO: 2007    6 COLOR + COATER



## DESCRIZIONE DELLA STAMPANTE

The Komori LS 640 DU + C (2007 first Installed 2008) is a six-color offset press equipped with a coating and UV drying system, designed for high-quality printing and efficient production. Key Features: • Inking System & Quality Control: • Equipped with KomoriMatic Dampening system. • Includes PQC/PDC-SII console for precise color management and quick setup. • Ensures high-quality output with automated adjustments. • Coater & UV Drying System: • Features a Harris & Bruno Anilox coater for UV varnish applications. • IR and UV dryers for fast drying and diverse finishing options. • Extended Delivery & High Pile Stacker: • Facilitates handling of large print volumes. • Improves overall productivity and efficiency. • Recent Upgrades (for some units): • New copper & chrome rollers installed. performance. • UV system upgrades and replacement of key components for optimal operation. This model is ideal for print shops requiring versatility and high-end finishes, especially for fast turnaround and special coatings applications.

## ATTREZZATURE

- double sheet control - electronic
- Hybrid UV & IR
- Controllo elettromeccanico a doppio foglio



## DETTAGLI TECNICI

- Formato di stampa max.: 720 x 1.030 mm
- Formato mínimo :: 360 x 520 mm
- Spessore del materiale (mm):: 0,06-1.00 mm
- Stampa in uscita fogli all'ora : 16.000 s.p.h.
- Contatore (Milioni) : 75 Mio.

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



- PQC-S - Controllo qualità di stampa
- SAPC Cambio semiautomatico delle piastre
- Chromed cylinders
- Cilindro a scheletro
- KHS-AI (Advanced Interface) with Self-learning Function
- AMR - Automatic Make Ready
- IR Dryer Giardina
- Automatic Impression cylinder Cleaners (AICC)
- Tresu Anilox Coater
- Automatic Ink Roller Cleaner (AIRC )
- Automatic blanket Washers (ABW)
- KMS IV Komori Management System
- Elevated Machine
- Pressa sollevata 300 mm
- Komori Extended delivery
- Technotrans Beta refrigerazione
- Tresu Coater con rullo anilox
- Polverizzatore Grafic Hitronic S
- 3 Interdeck UV con posizione intercambiabile in ogni unità
- Komori PDC S II Spectral color measurement system installed on console
- 3 x UV lamps in the delivery



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**