

2005 | KBA RAPIDA RA 105 8+LTTL CX ALV2 HYBRID

 MÁQUINAS DE IMPRESIÓN  AÑO: 2005  8 + DOBLE TORRE DE BARNIZ



DESCRIPCIÓN DE LA IMPRESORA

Rapida 105-8+LTTL CX ALV2 Hybrid from 12/2005 installed in 2006<->8 colors - Coater - Dryer - Dryer - Coater<-> Varidamp<-> Colortronic<-> Techkon color control and closed loop system<->Straight model<-> Non Stop feeder<-> Automatic for Pile logistic<-> Kersten antistatic device<-> High-performance version incl. side-blower and ionization<-> SIS - Sensoric Infeed System <-> Additional capacitive double sheet control<-> Dust-exhaust<-> Intercom<-> PWVA fully-automatic plate change incl. pneumatic plate bending device<-> CX Cardboard package, mechanical sheet guiding system for cardboard (> 600 g/m2)sheet travel sensors (12x)<-> Bacher Register<-> Inking- and dampening rollers for changing ink application<-> Inking unit temperature control<-> Pneumatic ink agitators (8x)<-> Differential drive in dampening unit<-> Baldwin Roller<-> Blanket- and impression cylinder washing device<-> 2 x coating unit<-> Harris & Bruno chambered doctor blade for conventional and UV coatings<-> Quick action plate clamps<-> Harris & Bruno coating supply and cleaning system for conventional and UV coatings<-> 2 x drying unit with Rapid Dry IR / Hot-air dryer<-> Rapid Dry IR / Hot-air / UV end dryer<-> 2 x UV inter-deck dryer<-> 6 x exchange positions<-> KBA-Non-Stop-Rollo delivery<-> Automatic for pile logistic<-> S-delivery for cardboard<-> Graftix Megatronic SJJ powder spray with ionization<-> Remote controlled<-> Powder exhaust<-> Extended delivery ALV2 = 2400 mm<-> ACS Air-Cleaning-System<-> 4 pressure stages electronically controlled air cabinet<-> Water cooled<-> Contemp High-Tech cool combi unit, water cooled<-> Remote controlled<-> pH value display<->



DETALLES TÉCNICOS

- Formato máx. de impresión: 740 x 1,050 mm
- Espesor :: up to 1.2 mm
- formato min.: 340 x 480 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com



ErgoTronic with Colortronic ink metering<- 17" TFT touch screen<- ACR control<-Colortronic (Register, Dampening and Ink Remote System Control)<-Ergotronic



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com







SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

