

2008 | KBA RAPIDA RA 105 5 LV (P 40) CX

+ STAMPA OFFSET ◻ ANNO: 2008 ◻ 5 COLOR + COATER



DESCRIZIONE DELLA STAMPANTE

P-40 model with max speed 18000 iph<>Raised 450 mm<>Colortronic professional<>Ergotronic<>Densitronic S<>Varidamp<>CX Cardboard device 1,2 mm<>Central watercooling connected to customer in house cooling<>KBA Nonstop feeder manual version<>Kersten antistatic high performance version<>Intercom<>SIS feeder<>Full automatic plate change<>Bacher register<>Inking unit temperature control with ductor cooling<>Baldwin Combiliner combi cooling device water cooled<>Baldwin all washing devices<>Harris & Bruno coating unit with chambered ductor blade and Anilox roller for water based varnish<>Harris & Bruno varnish supply and cleaning system for water based varnish<>Weko AP 262 powderspray<>Nonstop Rollo descending delivery<>ACS<>Air cabinet water cooled<>KBA Varidry IR and Hot Air dryer<>Air cooled press<>FAPC automatic plate change<>CX package for cardboard up to 1.2mm<>Densitronic



DETTAGLI TECNICI

- Contatore (Milioni) : 250 Mill
- Formato massimo : 740 x 1050 mm
- Formato mínimo :: 340 x 480 mm
- Spessore del materiale (mm):: up to 1.2 mm
- Trasporto marittimo: 2 x 40 HC ft + 1x 20 ft
- Stampa in uscita fogli all'ora : 18.000 sp/h
- Formato di stampa max.: 730 x 1050 mm
- Lunghezza : 16.300 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**