



## DRUCKERBESCHREIBUNG

# AUSRÜSTUNG

- Stripping device
- Centerline micrometric adjustment
- Left-hand side pull register lay with sensor
- Non-Stop-Zuführung
- Quick lock stripping frame
- Bedienfeld mit Farb-Touchscreen
- Non Stop delivery
- Chains and gripperbars
- Automatic Non Stop in the delivery with sheet counter
- Two (2) register side lays with double function ( pushing or pulling)
- Automatischer Anleger mit manuellem NON-STOP-System



# TECHNISCHE DETAILS

- Betriebsstunden : 20.500 hours
- Corrugated board : Capability (up to approx. 3–4 mm, E/B flute depending on setup)
- Sheet size (max in mm): 750 x 1050 mm
- Sheet size ( minimum in mm ): 350 x 400 mm
- Speed : 8.500 Sheets/h
- Minimale Papierstärke: 90 gr/m2
- Kartonstärke: up to 1.5 mm
- Maximal Pressure: 300 Tons




SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

