

2009 | IBERICA OPTIMA 105

+ EMBALAGEM ◻ ANO: 2009 ◻ TROQUELADORA (PLANA)



DESCRIÇÃO DA IMPRESSORA

EQUIPAMENTO

- Stripping device
- Ajuste micrométrico da linha central
- Left-hand side pull register lay with sensor
- Alimentação Non Stop
- Quick lock stripping frame
- Operator interface with Color Touch Screen
- Non Stop delivery
- Chains and gripperbars
- Automatic Non Stop in the delivery with sheet counter
- Two (2) register side lays with double function (pushing or pulling)
- Alimentador automático com dispositivo NON-STOP manual



DETALHES TÉCNICOS

- Horas de trabalho : 20.500 hours
- Corrugated board : Capability (up to approx. 3-4 mm, E/B flute depending on setup)
- Sheet size (max in mm): 750 x 1050 mm
- Sheet size (minimum in mm): 350 x 400 mm
- Speed : 8.500 Sheets/h
- Espessura mínima do papel: 90 gr/m2
- Espessura do cartão: up to 1.5 mm
- Pressão máxima: 300 Tons

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

