

2006 | HEIDELBERG SM 102 4-P3+L

 STAMPA OFFSET  ANNO: 2006  4 COLORI + VERNIC



DESCRIZIONE DELLA STAMPANTE

ATTREZZATURE

- Autoplate (Cambio semi-automatico della piastra)
- Auto register
- Coating unit with chambered doctor blade
- Extended delivery HD version 2
- Extended delivery LX2
- Preset Plus nell'alimentatore
- Perfect Jackets
- Grafix Exatronic Plus powder sprayer
- Machine with perfecting device
- IR Essiccatore a infrarossi
- Super Blue
- Steel Plate feeder and delivery
- Rear edge blowers
- Alcolor Vario dampening
- Coating Tower
- Intercom Citofono alla fornitura

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



DETTAGLI TECNICI

- Formato massimo : 720 x 1.020 mm
- Contatore (Milioni) : 197 Mill
- Frequency: 50 hz
- Spessore del materiale (mm):: 0,03-up to 0,8 mm
- Formato mínimo :: 340 x 480 mm
- Perfezionamento: 4 + 0 - 3 + 1
- Stampa in uscita fogli all'ora : 13.000 s.p.h.
- Formato di stampa max.: 1.020 x 710 mm

 +34 682 639 187

 info@machinex.com



- Varnish Supply unit 550 l/h
- Eltex ionization on delivery
- CP 2000 console touch screen
- AirStar Pro (Air-cooled)
- Program-controlled wash-up device (Roller, Blanket & ICWD)
- Technotrans Refrigerazione + Ricircolo
- Pull Lay Control - Controllo a doppio strato
- Preset standard delivery
- Ultrasonic double sheet detection



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

