

2017 | HEIDELBERG XL 106 5 LX



USED PRINTING MACHINES




AN: 2017



5 + VERNIS



PRIX: PRIX SUR DEMANDE



DESCRIPTION DE L'IMPRIMANTE

ÉQUIPEMENT

- Powder Star AP 500
- Extended delivery LX2
- Preset Plus dans l'alimentation
- Preset Plus in delivery
- TECHNOTRANS : réfrigération combinée et contrôle de la température de l'encre
- ITC Contrôle de la température
- AirStar pro air cooled with compressed air dryer
- Prinect Press Center mit Touch Screen
- Prinect Press Center
- Press Center Color Assistant Pro
- Press Center Instant Gate
- Dynamic Sheet Brake
- Program-controlled wash-up device (Roller, Blanket & ICWD)
- CleanStar Preset
- S/W Press Center NetProfiler



DÉTAILS TECHNIQUES

- Compteur d'impressions: 155 Million
- Format de feuille max.: 750 x 1,060 mm
- Format de feuille min.: 340 x 480 mm
- Vitesse d'impression: 18.000 s.p.h.
- Fréquence: 50 hz

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



+34 682 639 187





info@machinex.com



MACHINEX

- DryStar Advanced
- Chamber Ductor Blade Anilox Coating
- Hycolor Ink- and Dampening System
- IR Dryer Heidelberg DryStar Combination
- AutoPlate Pro (Fully Automatic Staggered Plate Change)
- Intellistart 3 Performance with Wallscreen XL
- Prinect Inpress Control 2 – inline color measurement, quality Control and Register system



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

