## 2015 | BRAUSSE 1050 SE


















- · In production (test possible); Immediately available
- · Automatic DieCutting Machine
- · Non Stop feeder
- 7500 sheets/h
- · Feeding table and sheet registration system
- · Gripper edge removal system
- · Quick Locking system
- · Non Stop delivery with automatic slow down designed with safety
- · Rear and side joggers with easy position adjustments
- Preloading system with either preloading rail
- Side lays on both left and right hand sides push and pull convertible
- · Max Cutting Pressure 300 Tons
- Pile height feeder, maximum 1330 mm (incl. Palette)
- Minimum sheet size 400 x 360 mm
- paper (depending on quality), min 80-90 g/m<sup>2</sup>
- One die chase chase with quick locking system
- The machine Brausse 1050SE is delivered with the European safety
- · Motorized side adjustment of pallet table. Pile adjustment during

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU









- Photo sensor safety barrier at pallet table floor level touching point
- Emergency stop at arm length
- Gripper bar locking levers can be adjusted by micro adjustment
- · Automatic main chain greasing system
- Self-diagnostic system with indication on a colour LCD screen
- · High quality pre-stretched gripper bar drive chain











SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

















SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU