2015 | BRAUSSE 1050 SE











PRINTER DESCRIPTION

OPREMA

- · In production (test possible); Immediately available
- · Automatic DieCutting Machine
- Non Stop feeder
- 7500 sheets/h
- Feeding table and sheet registration system
- · Gripper edge removal system
- · Quick Locking system
- · Non Stop delivery with automatic slow down designed with safety
- · Rear and side joggers with easy position adjustments
- · Preloading system with either preloading rail
- · Side lays on both left and right hand sides push and pull convertible
- · Max Cutting Pressure 300 Tons
- · Pile height feeder, maximum 1330 mm (incl. Palette)
- Minimum sheet size 400 x 360 mm
- paper (depending on quality), min 80-90 g/m²
- · One die chase chase with quick locking system
- · The machine Brausse 1050SE is delivered with the European safety certificate CE
- Motorized side adjustment of pallet table. Pile adjustment during

TEHNIČKI POJEDINOSTI

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



- Emergency stop at arm length
- Gripper bar locking levers can be adjusted by micro adjustment
- Automatic main chain greasing system
- Self-diagnostic system with indication on a colour LCD screen
- High quality pre-stretched gripper bar drive chain











SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU















SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU