2015 | BRAUSSE 1050 SE













- · In production (test possible); Immediately available
- · Automatic DieCutting Machine
- · Non Stop feeder
- 7500 sheets/h
- · Feeding table and sheet registration system
- · Gripper edge removal system
- · Quick Locking system
- · Non Stop delivery with automatic slow down designed with safety device
- · Rear and side joggers with easy position adjustments
- · Preloading system with either preloading rail
- · Side lays on both left and right hand sides push and pull convertible
- · Max Cutting Pressure 300 Tons
- Pile height feeder, maximum 1330 mm (incl. Palette)
- Minimum sheet size 400 x 360 mm
- paper (depending on quality), min 80-90 g/m²
- · One die chase chase with quick locking system
- The machine Brausse 1050SE is delivered with the European safety certificate CE



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

production

- · Photo sensor safety barrier at pallet table floor level touching
- Emergency stop at arm length
- · Gripper bar locking levers can be adjusted by micro adjustment
- Automatic main chain greasing system
- Self-diagnostic system with indication on a colour LCD screen
- · High quality pre-stretched gripper bar drive chain











SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

















SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



