

1998 | KBA RAPIDA RA 142 5 L ALV PWVA

+ IMPRESSORA OFFSET 1998 5 CORES



DESCRIÇÃO DA IMPRESSORA

EQUIPAMENTO

- Controle eletromecânico de folha dupla
- VARIDAMP amortecedor de álcool
- Saphira Blanket Pro 100
- Densitronic S Mesa de medição profissional
- Baldwin CombiLiner 852 Dispositivo de resfriamento High Tech
- FAPC Troca de chapas completamente automáticas
- ALV 2 (prorrogação da saída)
- Cilindros cromados
- Baldwin blanket, rolo e dispositivo de lavagem do cilindro de impressão
- Kersten Ionblowers in feeder and delivery
- Touch screen monitor 17"
- CIPLink Ink profile presetting via CIP3 data
- Secador Eltosch Drytronic IR
- RIETSCHLE Centro de Ar



DETALHES TÉCNICOS

- Impressão (Milhões) : 175 Million
- Formato mínimo :: 600 mm x 720 mm
- Formato máximo : 1,020 mm x 1420 mm

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



- GRAFIX MEGATRONIC-S with control station operation and ionization (Kersten)
- Fully Overhauled in Year 2018



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

