

1999 | KBA RAPIDA RA 162 6 L CX ALV3

+ STAMPA OFFSET ANNO: 1999 6 COLOR + COATER



DESCRIZIONE DELLA STAMPANTE

ATTREZZATURE

- Cardboard device
- VARIDAMP alcohol dampening
- Saphira Blanket Pro 100
- Attrezzatura CX (attrezzatura supplementare per cartone fino a 1,2 mm)
- Intercommunication system between infeed and delivery
- Weko AP 262 Powder
- Baldwin CombiLiner 852 High Tech cooling device
- Elevated Machine
- Essiccatore a infrarossi Eltosch IR rosso
- PWVA Cambio totalmente automatico
- Kersten Ionblowers in feeder and delivery
- CIPLink Ink profile presetting via CIP3 data
- ALV 3900 mm extended delivery
- ITC -Ink Temperature Control
- Technotrans AlcoSmart AZR



DETTAGLI TECNICI

- Spessore del materiale (mm):: 250 g/m up to 1.2 mm
- Formato massimo : 1120 x 1620

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



- Raise 630 mm complete (feeder ,delivery and gallery)
- Harris and Bruno Aqueous Lithocoat Circulator
- Fully automatic nonstop system for pile logistic




SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

