

# 2009 | HEIDELBERG XL 105 6 LX FOIL SYSTEM

+ DRUCKMASCHINEN (OFFSET)    Ⓞ JAHR: 2009    📄 6 FARBEN + LACK



## DRUCKERBESCHREIBUNG

INSTALLED 2010 High Performance Packaging Machine with Heidelberg Foil System (18.000 Sheets/hour) · Prinect PressCenter · Press Center MasterLevel · Press Center Instant Gate · Preset Pus Feeder · Foiler · Ultrasonic double-sheet control · Multiple-sheet detector/ tear-off · Multiple sheet control/Forwarding roller · Double sheet detector - pulling device · StaticStar Compact · Roller wash-up device controlled by Prinect Press Center · Blanket and impression cylinders automatic washing devices with cloths by Prinect Press Center · Hycolor damping + Vario system · Air Transfer System Venturi · Autoplate Advanced · Varnishing units 550 L./H. with Tresu chambered doctor blade system and anilox roller and diagonal register remote control · LWE roller storage coating unit facility · N1 Roller Anilox · Preset Plus Delivery : a lot of preset functions and memorization, aerodynamic grippers system, slow down system by console, panel in delivery · DryStar 3000 Combination 3 slide-in dryers · PowderStar Weko AP 500 · Extended Delivery X2 · Sheet slow-down device suction drum 9 mm · Non-Stop delivery automatic version

## AUSRÜSTUNG

- Double sheet control - ultrasonic
- Axis control 2 (new version)
- Cleanstar plus

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

☎ +34 682 639 187

✉ info@machinex.com



## TECHNISCHE DETAILS

- Laufleistung : 99 Million
- Max. Bogenformat : 750 mm x 1,050 mm
- Maximale Geschwindigkeit Bg./h : 18.000 Sheets /h
- Gewicht ca.: approx 65.000 Kg
- Max. Druckformat: 740 x 1050 mm
- Stärke :: 0.03 - 1.0 mm
- Blanket format : 855 x 1077 mm
- Min. Bogenformat :: 340 x 480 mm

- Verlaengerte Auslage X2
- Wallscreen Application
- Preset Plus im Anleger
- Preset Plus in der Auslage - Perfektion bis zum Stapel
- TECHNOTRANS
- AirStar pro air cooled with compressed air dryer
- Elevated Machine
- Alcolor Vario dampening
- Intercom Sprechanlage zur Auslage
- multiple sheet detector
- Non Stop rake
- Heidelberg FoilStar
- Varnish Supply unit 550 l/h
- IR-Trockner 3 Einschübe
- Weko AP 500 powder sprayer
- Programmgesteuerte Wascheinrichtung Roller, Blanket & ICWD
- Hycolor mit Vario
- IPA-Metering Premium
- Antistatic device/Compact feeder
- Lackierwerk mit Kammerrakel und Anilox
- InkLine (automatische Farbversorgung)
- Saugband Anleger mit 3 Abschnitten für den Transport der Bögen zu den vorderen Registern



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)

