

# 2009 | HEIDELBERG XL 105 6 LX FOIL SYSTEM

+ MÁQUINAS DE IMPRESIÓN     AÑO: 2009     6 COLORES + BARNIZ




## DESCRIPCIÓN DE LA IMPRESORA

INSTALLED 2010 High Performance Packaging Machine with Heidelberg Foil System (18.000 Sheets/hour) · Prinect PressCenter · Press Center MasterLevel · Press Center Instant Gate · Preset Pus Feeder · Foiler · Ultrasonic double-sheet control · Multiple-sheet detector/ tear-off · Multiple sheet control/Forwarding roller · Double sheet detector - pulling device · StaticStar Compact · Roller wash-up device controlled by Prinect Press Center · Blanket and impression cylinders automatic washing devices with cloths by Prinect Press Center · Hycolor damping + Vario system · Air Transfer System Venturi · Autoplate Advanced · Varnishing units 550 L./H. with Tresu chambered doctor blade system and anilox roller and diagonal register remote control · LWE roller storage coating unit facility · N1 Roller Anilox · Preset Plus Delivery : a lot of preset functions and memorization, aerodynamic grippers system, slow down system by console, panel in delivery · DryStar 3000 Combination 3 slide-in dryers · PowderStar Weko AP 500 · Extended Delivery X2 · Sheet slow-down device suction drum 9 mm · Non-Stop delivery automatic version

## EQUIPO

- Control de doble hoja - ultrasónico
- Axis control 2 (new version)
- Cleanstar plus

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)



## DETALLES TÉCNICOS

- Contador diario : 99 Million
- Formato máx. : 750 mm x 1,050 mm
- Rendimiento de Impresión : 18.000 Sheets /h
- Peso aprox.: approx 65.000 Kg
- Formato máx. de impresión: 740 x 1050 mm
- Espesor :: 0.03 - 1.0 mm
- Blanket format : 855 x 1077 mm
- formato min.: 340 x 480 mm

- Extended delivery LX2
- Wallscreen Application
- Preset Plus en marcador
- Preset Plus en la salida
- TECHNOTRANS
- AirStar pro refrigerado por aire con secador de aire comprimido
- Sobreelevada
- Alcolor Vario sistema de mojado
- Intercom Intercomunicador a la salida
- detector de hojas múltiples
- Rastrillo Non Stop
- Heidelberg FoilStar
- Unidad de suministro de barniz 550 l/h
- Secador IR 3 dispositivos en unidades
- Weko AP 500 pulverizador
- Dispositivo de lavado controlado por programa (rodillo, manta e ICWD)
- Hycolor con Vario
- Prima de medición de la IPA
- Antistatic device/Compact feeder
- Unidad de barnizado con raqueta de cámara y anilox
- InkLine (suministro automático de tinta)
- Alimentador de cintas de succión con 3 tramos de transporte de hojas a los registros frontales




SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187


info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 [info@machinex.com](mailto:info@machinex.com)

