

2009 | HEIDELBERG XL 105 6 LX FOIL SYSTEM

+ IMPRESSORA OFFSET 2029 ANO: 2009 6 CORES + VERNIZ



DESCRIÇÃO DA IMPRESSORA

INSTALLED 2010 High Performance Packaging Machine with Heidelberg Foil System (18.000 Sheets/hour) · Prinect PressCenter · Press Center MasterLevel · Press Center Instant Gate · Preset Pus Feeder · Foiler · Ultrasonic double-sheet control · Multiple-sheet detector/ tear-off · Multiple sheet control/Forwarding roller · Double sheet detector - pulling device · StaticStar Compact · Roller wash-up device controlled by Prinect Press Center · Blanket and impression cylinders automatic washing devices with cloths by Prinect Press Center · Hycolor damping + Vario system · Air Transfer System Venturi · Autoplate Advanced · Varnishing units 550 L./H. with Tresu chambered doctor blade system and anilox roller and diagonal register remote control · LWE roller storage coating unit facility · N1 Roller Anilox · Preset Plus Delivery : a lot of preset functions and memorization, aerodynamic grippers system, slow down system by console, panel in delivery · DryStar 3000 Combination 3 slide-in dryers · PowderStar Weko AP 500 · Extended Delivery X2 · Sheet slow-down device suction drum 9 mm · Non-Stop delivery automatic version

EQUIPAMENTO

- Controle de folha dupla - ultra-som
- Axis control 2 (new version)
- O Cleanstar plus

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com



DETALHES TÉCNICOS

- Impressão (Milhões) : 99 Million
- Formato máximo : 750 mm x 1,050 mm
- Produtividade : 18.000 Sheets /h
- Peso aproximado: approx 65.000 Kg
- Formato máx. de impressão: 740 x 1050 mm
- Espesor del stock :: 0.03 - 1.0 mm
- Blanket format : 855 x 1077 mm
- Formato mínimo :: 340 x 480 mm

- Extensão da saída LX2
- Wallscreen Application
- Preset Plus no alimentador
- Preset Plus na saída - Perfeição até a pilha
- TECHNOTRANS
- AirStar pro ar resfriado com secador de ar comprimido
- máquina de elevação
- Alcolor Vario amortecedor
- Intercom Intercomunicação para a saída
- multiple sheet detector
- Non Stop rake
- Heidelberg FoilStar
- Varnish Supply unit 550 l/h
- Secador IR 3 slides em unidades
- Weko AP 500 Pulverizador
- Program-controlled wash-up device (Roller, Blanket & ICWD)
- Hycolor com Vario
- Prêmio IPA-Metering Premium
- Antistatic device/Compact feeder
- Coating unit with chambered doctor blade and anilox
- InkLine (automatic ink supply)
- Suction belt feeder with 3 sections of transport of sheets to the frontal registers



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

 **MACHINEX**



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

 +34 682 639 187

 info@machinex.com

