

2014 | KBA RAPIDA RA 106 5 L FAPC ALV2

 MÁQUINAS DE IMPRESIÓN  AÑO: 2014  5 COLORES + BARNIZ



DESCRIPCIÓN DE LA IMPRESORA

EQUIPO

- Amortiguador de alcohol VARIDAMP
- Saphira Blanket Pro 100
- Dispositivos CX (equipo adicional para cartón hasta 1,2 mm)
- Densitronic S Mesa de medición profesional
- Sistema de intercomunicación entre el marcador y la salida
- Technotrans Dispositivo combinado de refrigeración de alta tecnología
- Sistema de alimentación sensorial SIS
- Consola Ergotronic
- Inline Measure System LITHEC Lithoflash
- ITC Control de la temperatura de la tinta
- Lithec Lithoflash for inline color control
- Cleantronic Multi purpose washing system for blanket and impression cylinder & roller washing system
- ErgoTronic Professional console with ColorTronic ink metering "19" TouchScreen
- Unidad de barnizado con racleta de cámara y anilox

SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU



DETALLES TÉCNICOS

- Contador diario : 152 Million
- Frecuencia : 400V/50Hz
- Rendimiento de Impresión : 18.000 s/h
- Formato máx. : 750 x 1,060 mm

 +34 682 639 187

 info@machinex.com



- Blower cassette for cardboard sheet guiding
- Additional anilox roller (according to KBA standard)
- Wall screen for visualisation of all press processes
- LogoTronic Professional – Software for production management and JDF-interface for data exchange with MIS, virtual machine is provided by the customer (1x per print shop)
- Paquete adicional "Active air-cooling for control cabinets"
- Fully-automatic plate change FAPC, incl. one pneumatic plate bending device at the gallery
- IPA reduction < 5% incl. microfilter "beta.f" (TECHNOTRANS)
- Paquete adicional para microcorrugado hasta 1.4 de grosor
- VariDry IR/HotAir in delivery and extended delivery (ALV2)
- Kba PressSupport 24 Sheetfed with internet connection for remote maintenance and software updates
- Additional package "High efficiency antistatic equipment "
- 1 Unidad de barnizado (L) con sistema de racleta de cámara
- Roller covering for alcohol-reduced printing
- Interfaz para conectar dispositivos externos de medición en línea de terceros
- Aislamiento acústico para el cabezal del marcador



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

MACHINEX



SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com






SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com





SPAIN | GERMANY | USA | ITALY | TURKEY | CHINA | BRAZIL | MEXICO | PERU

+34 682 639 187

info@machinex.com

